# AquaFit Sport 13' Specifications


General		
Shape	Rectangular	
Seating Capacity	N/A	┪
Shell Material	DuraTex™	
Dimensions	90¼" x 156 1/2" x 52" H/ (229cm X 398cm x 132cm H)	
Corner Radii	10" / (25cm)	
Water Capacity	1350 Gallons (5110 Liters)	
Dry Weight	2406 lbs (1091 kg)	$\dashv$
Full Weight	13651 lbs (6191 kg)	
Skirt Material	Terracina or Wood	
Water System	Terracina or wood	
Water Treatment System	UltraPure	
Filters/Coverage	3/50 sq. ft.	
Gate Valves	4 Standard (6 Optional)	
Total Hydrotherapy Jets	4 Standard (6 Optional)	
Jet - Air Adjustable/Directional	0	-
	0	-
Jet - Rotator		4
Jet - Dual Rotator	0	_
Jet - Multi Port Spinner	0	4
Jet - Mini Rotator	0	
Jet - Mini Directional	0	
Jet - Euro Rotator	0	_
Jet - Mini Directional in Pillow	0	
Typhoon Jet	0	
Swim Jets	4 Standard (6 Optional)	
Ozone Jet	1	
Heater Return Jet	1	
Pump Returns	6	
Diverter Valves	0	
Floor Drains	1	
Skimmer	2	П
		$\Box$
		_
Special Features		
Jet Therapy Pillows	0	_
Headrest Pillows	0	┙
Optimounts™	6	Ш
Tether Mount	1	$\sqcup$
Kick Bar	1-24" 2-32"	
Swim Jet Air Valves	2	
Swim Tether	1	
Stereo	Optional	П
Pump Information	Domestic (60Hz)	
Swim Motor Size - Peak (Continuous) HP	5.0 (3.0) HP	
Jet Pumps # of Pumps/Speed	1/Dual & 1/Single (Standard) or (1/Dual & 2/Single Optional)	
Circulation Pump	1 with UltraPure	
Electrical System	Domestic (60Hz)	
Voltage	240	
Amperage	50 / 40	
	5.5 kW	_
Heater Thermostat	Electronic	_
Light	18 Points of LED Light	4
Control Sytem	Gecko Alliance	4
Upper Control	M-Drive	Ш

Note: 1. Subject to change without notice.

2. Builder Pack model not available

Doc-2925 Rev-E Page 1 of 4

### **Architectural Specification**



### AFS MUST BE FULLY SUPPORTED OVER THE ENTIRE BASE. REFER TO D1 DOC-138 FOR INSTALLATION DETAILS.

- Engineering specs may differ slightly from brochure.
   Optional cabinets may add significant weight. Ask your dealer for exact details.
   Pumps and control panels are not supplied with builder's pack.
   This is the approximate location to bring power through the bottom of the spa.
   Pump 3, Ozone and stereo are optional.

Caution:
Due to manufacturing tolerances there could be some
minor differences between the actual spa and the drawing above.
If site planning is critical to such tolerances, be sure to measure your actual spa.


### Legend

Pump - P

Electrical - E


Lower Control Panel - LCP Upper Control Panel - UCP

## **Plumbing Configuration**



- 2. AV1 = Air Valve 1, control right and left top and bottom swim jets.
- 3. AV2 = Air Valve 2, control center swim jets.
- 4. All Drains in common loop with pump 1, 2 and optional pump 3.

## Jet Insert Designations



2. \* Some equipment shown is not suppled with builder's pack.